

## Anti Freeze – New assortment

Previous Product	New Product	Specifications	Approvals	FUCHS Recommendations
ANTI FREEZE CONC	MAINTAIN FRICOFIN S <i>Light green</i>	ASTM D 3306 TYPE I BS 6580:2010	-	-
ANTI FREEZE PREMIX	MAINTAIN FRICOFIN S -35 <i>Light green</i>	ASTM D 3306 TYPE III BS 6580:2010	-	-
New!	MAINTAIN FRICOFIN <i>Blue-green</i>	AFNOR NF R 15-601 TYPE 1 AS/NZS 2108:2004 TYPE A ASTM D 3306 TYPE I ASTM D 4985 BS 6580:2010 CUNA NC 956-16 SAE J814 SAE J1034	BMW GS 94000 (BMW N 600 69.0) CAT / MWM TR 0199-99-2091 DEUTZ DQC CA-14 GE JENBACHER TA 1000-0201 MAN 324 TYPE NF MAN 324 TYPE NF PRITARDER MB-APPROVAL 325.0 MTU MTL 5048 PN-C 40007:2000 VOITH TURBO 172.00225010	DAF 74001 LIEBHERR TLV 035/TLV 23009 A OPEL/GM B 040 0240 VW TL 774-C (G11)
ANTI FREEZE HD CONC *	MAINTAIN FRICOFIN N <i>Blue</i>	ASTM D4985 BS 6580 JIS K2234 KSM 2142 SAE J1034	-	JI Case JIC-501 MAN 324 Typ NF MTU MTL 5048 VW TL-774 C (G11)
ANTI FREEZE PREMIUM CONC	MAINTAIN FRICOFIN DP <i>Purple</i>	AFNOR NF R 15-601 TYPE 1 AS/NZS 2108:2004 TYPE A ASTM D 3306 TYPE I ASTM D 4985 BS 6580:2010 SAE J814 CUMMINS CES 14603	DEUTZ DQC CC-14 MAN 324 TYPE Si-OAT MB-APPROVAL 325.5 MB-APPROVAL 325.6	DETROIT DIESEL 93K217 SCANIA TB 1451 VW TL 774-G (G12++)

\* Can also be replaced by MAINTAIN FRICOFIN

Previous Product	New Product	Specifications	Approvals	FUCHS Recommendations
New!	MAINTAIN FRICOFIN HDD <i>Yellow</i>	ASTM D 3306 TYPE I ASTM D 4985 ASTM D 6210 TYPE I-FF ASTM D 7583 AS/NZS 2108:2004 TYPE A BS 6580:2010 SAE J814 CHRYSLER MS 7170 CHRYSLER MS 9769 DETROIT DIESEL 7SE298 FORD ESE-M97B44-A FORD ESE-M97B18-C FORD WSS M97B51-A1 GM 1825M & GM 1899M JIS K2234	MTU MTL 5048	CASE MS 1710 CAT EC-1 CUMMINS CES 14603 DETROIT DIESEL 93K217 (NOAT) FREIGHTLINER 48-2288D IVECO 18-1830 KENWORTH RO26-170-97 MAN 324 TYPE N NEW HOLLAND WSN-M97B18-D PACCAR CS 0185 TOYOTA Motor Corp. RP 329
ANTI FEEZE YELLOW CONC	MAINTAIN FRICOFIN LL-YF <i>Yellow</i>	ASTM D 3306 TYPE I ASTM D 6210 TYPE I-FF BS 6580:2010 FORD WSS-M97-B44-D JAGUAR LAND ROVER STJLR.651.5003	CNH MAT 3624	AFNOR NFR 15-601 TYPE I AS/NZS 2108:2004 TYPE A ASTM D 4985 SAE J1034 CHRYSLER MS 12106 CUMMINS (ISBe engines at DAF und Leyland) DAF 74002 (different colour) DETROIT DIESEL 93K217 DEUTZ DQC CB-14 FIAT 9.55523 GM 6277M HYUNDAI MS 591-08 JASO M325 JIS K2234 KOMATSU AF-NAC (ready mix) LIEBHERR MD 1-36-130 MAN 324 TYPE SNF CAT / MWM TR 0199-99-2091 PSA B 71 5110 RENAULT TYPE D TOYOTA TSK 2601G-8A VW TL 774-D/F (G12+ / different colour) VOLVO COOLANT VCS (STD 418-0001)

Previous Product	New Product	Specifications	Approvals	FUCHS Recommendations
ANTI FREEZE MPG 48 PREMIX	Not replaced			
ANTI FREEZE MPG CONC	MAINTAIN FRICOFIN LL PG <i>Light green</i>	ASTM D3306 BS 6580 KS M 2142 Önorm V5123 SAE J1034 UNE 26-361-88/1	-	-
ANTI FREEZE LL CONC	MAINTAIN FRICOFIN LL <i>Orange</i>	ASTM D 3306 TYPE I ASTM D 6210 TYPE I-FF BS 6580:2010 SAE J814 FORD WSS-M97-B44-D JAGUAR LAND ROVER STJLR.651.5003 FVV Heft R443 KSM 2142 UNE 26-361-88/1	Bez.Reg.Arnsbg. E62.12.22.64- 2011-1 CAT / MWM TR 0199-99-2091 DAF 74002 DEUTZ DQC CB-14 MAN 324 TYPE SNF MB-APPROVAL 325.3	AFNOR NFR 15-601 TYPE I AS/NZS 2108:2004 TYPE A ASTM D 4985 SAE J1034 ADE (ATLANTIS DIESEL ENGINES) BAIC GROUP FOTON Q-FPT 2313005-2013 CATERPILLAR MAK A4.05.09.01 CHRYSLER MS 12106 CNH MAT 3624 CUMMINS (ISBe engines at DAF and Leyland) CUMMINS CES 14603, CES 14439 DETROIT DIESEL 93K217 FIAT 9.55523 GM GMW 3420 (6277M) HYUNDAI MS 591-08 JASO M325 JIS K2234 JOHN DEERE JDM H5 KOMATSU AF-NAC (ready mix) (07.892 (2009)) LIEBHERR MD 1-36-130 MACK 014 GS 17009 MAZDA MEZ MN 121 D PSA B 71 5110 RENAULT 41-01-001/- -S Type D SAAB B 040 1065 SKODA 61-0-0257 TOYOTA TSK 2601G-8A VAUXHALL GME L1301 VW TL 774-D/F (G12+ / different colour) VOLVO COOLANT VCS (STD 418-0001)

Previous Product	New Product	Specifications	Approvals	FUCHS Recommendations
ANTI FREEZE LL PREMIX	MAINTAIN FRICOFIN LL -35 <i>Orange</i>	ASTM D 3306 TYPE III ASTM D 6210 TYPE III-FF BS 6580:2010	–	ASTM D 4985 SAE J1034 CATERPILLAR MAK A4.05.09.01 CAT / MWM TR 0199-99-2091 CHRYSLER MS 12106 CNH MAT 3624 CUMMINS CES 14603, CES 14439 DAF 74002 DETROIT DIESEL 93K217 DEUTZ DQC CB-14 FIAT 9.55523 FORD WSS-M97-B44-D GM GMW 3420 (6277M) HYUNDAI MS 591-08 JAGUAR LAND ROVER STJLR.651.5003 JOHN DEERE JDM H5 KOMATSU AF-NAC (ready mix) (07.892 (2009)) LIEBHERR MD 1-36-130 MACK 014 GS 17009 MAN 324 TYPE SNF MAZDA MEZ MN 121 D PSA B 71 5110 RENAULT 41-01-001/- -S Type D SAAB B 040 1065 SKODA 61-0-0257 TOYOTA TSK 2601G-8A VAUXHALL GME L1301 VOLVO COOLANT VCS (STD 418-0001) VW TL 774-D/F (G12+ / different colour)

FUCHS LUBRICANTS SWEDEN AB  
0775-59 59 59  
order@fuchs-oil.com  
fuchs.com/se

FUCHS LUBRICANTS NORWAY AS  
21 99 59 50  
post@fuchs-oil.com  
fuchs.com/no

FUCHS LUBRICANTS DENMARK ApS  
32 46 30 00  
bestil@fuchs-oil.com  
fuchs.com/dk