


# High-Tech Protection for Engines



LUBRICANTS.  
TECHNOLOGY.  
PEOPLE.





## The right high-tech engine oil for every engine!

TITAN engine oils are the result of the latest research and development by the world's largest independent lubricant specialist. Developed together with leading automobile manufacturers, tailored to satisfy the demands of today's high-tech engines, offering outstanding high-performance, fuel-economy and wear protection.

TITAN engine oils: Premium quality from the German automobile industry's leading lubricant OEM. Manufactured in the EU.

# Lube Cube

Innovative packaging solution.



## Help reduce plastic pollution.

This "bag in box" concept offers a smart, highly eco-friendly alternative to rigid plastic bottles and is easier to store and use.

### Key Advantages:

- **100%\* Recyclable**
- **79%+ Reduction in plastic used**
- Environmentally friendly
- Zero waste & spills
- Easy to use / Easy to store

Selected products available currently in 5L / 20L.

\* Wash inner plastic prior to disposal.

+ 20L Lube Cube compared with traditional 20L plastic containers.

---

## 60L Drum

Selected FUCHS engine oils are available in 60 litre metal drums. Bridging the gap between our 20 litre pack and the larger 205 litre drum, the 60 litre metal drum is an ideal size for smaller garages & workshops.



## TITAN GT1 EVO SAE 0W-20

Premium performance engine oil with XTL® technology. Specially designed for highly stressed downsized engines with maximum power output, for extreme fuel-economy characteristics and reduced CO<sub>2</sub> emissions.

- maximum fuel-saving potential and reduced CO<sub>2</sub> emissions
- excellent cold starting characteristics
- outstanding performance reserves



**XTL®**  
Technology

### Specifications:

—

### Approvals:

—

### FUCHS Recommendations:

ACEA A1/B1  
JAGUAR LAND ROVER  
STJLR.51.5122

## TITAN GT1 PRO V SAE 0W-20

Premium performance engine oil with XTL® technology in ground-breaking viscosity class. Specially designed for modern VOLVO vehicles.

- maximum fuel-saving potential
- excellent cold starting behaviour and very fast oil circulation
- outstanding performance reserves
- approved for VOLVO VCC RBS0-2AE



**XTL®**  
Technology

### Specifications:

—

### Approvals:

VOLVO VCC RBS0-2AE

### FUCHS Recommendations:

ACEA A1/B1

## TITAN GT1 FLEX 5 SAE 0W-20

Premium performance engine oil in ground-breaking viscosity class. Specially designed for highly stressed downsized engines with maximum power output, for extreme fuel-economy characteristics and reduced CO<sub>2</sub> emissions.

- reduced fuel consumption of up to 3.6% compared to conventional oils
- protection against Low Speed Pre-Ignition (LSPI)
- less CO<sub>2</sub> emissions
- optimised engine cleanliness
- outstanding wear protection under all operating conditions



### Specifications:

ACEA C5, API SN PLUS RC  
ILSAC GF-5

### Approvals:

BMW LONGLIFE-17 FE+  
MB-APPROVAL 229.71  
OV 040 1547

### FUCHS Recommendations:

CHRYSLER MS-12145  
FIAT 9.55535-GSX  
FORD WSS-M2C947-A  
VOLVO VCC RBS0-2AE

## TITAN GT1 LONGLIFE IV SAE 0W-20

Premium performance engine oil in ground-breaking viscosity class. Specially designed for modern VW vehicles, for extreme fuel-economy characteristics and reduced CO<sub>2</sub> emissions.

- maximum fuel-saving potential of more than 4% in the M111 FE test and reduced CO<sub>2</sub> emissions
- extreme fuel-economy characteristics
- very fast oil circulation
- outstanding performance reserves
- suitable for extended oil change intervals



### Specifications:

ACEA C5

### Approvals:

VW 508 00/509 00

### FUCHS Recommendations:

PORSCHE C20

## TITAN

### GT1 LL-12 FE SAE 0W-30

Premium performance engine oil with XTL® technology. Specially developed for latest BMW gasoline and diesel vehicles with exhaust after treatment.

- excellent cold starting
- lower oil consumption
- outstanding performance reserves



#### Specifications:

ACEA C2

#### Approvals:

BMW LONGLIFE-12 FE

#### FUCHS Recommendations:

JAGUAR LAND ROVER

STJLR.03.5007

## TITAN

### GT1 PRO 2312 SAE 0W-30

Premium performance, fuel-economy engine oil for modern passenger cars and light commercial vehicles. Specially developed for latest PSA gasoline and diesel vehicles with exhaust after treatment and turbocharger.

- excellent cold starting
- lower oil consumption
- minimised exhaust emissions



#### Specifications:

ACEA C2

#### Approvals:

PSA B71 2312

#### FUCHS Recommendations:

CHRYSLER MS-13340

CHRYSLER MS.90047

FIAT 9.55535-DS1/GS1

IVECO 18-1811 CLASSE SC1 LV

## TITAN GT1 FLEX 23 SAE 5W-30

Premium performance, extreme fuel-economy engine oil with optimum cold start ability and outstanding performance reserves. Specially developed for BMW, MERCEDES-BENZ and OPEL vehicles with exhaust after treatment and turbocharger.

- for optimum cold start ability
- significantly lower fuel and oil consumption
- outstanding performance reserves for modern vehicles with or without extended service intervals



### Specifications:

ACEA C2/C3; API SN

### Approvals:

BMW LONGLIFE-04  
dexos2™ (D235ABAD075)  
MB 229.31 / 229.51 / 229.52  
VW 505 00 / 505 01

### FUCHS Recommendations:

CHRYSLER MS-11106  
FIAT 9.55535-S1 / -S3  
GM-LL-A-025; GM-LL-B-025  
IVECO 18-1811 CLASSE SC1

## TITAN GT1 PRO C-3 SAE 5W-30

Premium performance, extreme fuel-economy engine oil with XTL® technology. Specially developed for BMW, VW and MERCEDES-BENZ vehicles with exhaust after treatment and turbocharger.

- for optimum cold start ability
- significantly lower fuel and oil consumption
- improved ageing stability
- outstanding performance reserves



**XTL®**  
Technology

### Specifications:

ACEA C3; API SN

### Approvals:

BMW LONGLIFE-04  
MB 229.51  
PORSCHE C30  
VW 504 00/507 00

### FUCHS Recommendations:

CHRYSLER MS-11106  
FIAT 9.55535-S3



## TITAN

### GT1 PRO 229.6 SAE 5W-30

Premium performance, extreme fuel-saving engine oil of the top class with XTL® technology especially for modern MERCEDES-BENZ gasoline vehicles.

- reduced fuel consumption by 2.7% compared to the reference in the M111 test
- lower CO<sub>2</sub> emissions
- lower oil consumption
- improved aging stability



#### Specifications:

ACEA A5/B5

#### Approvals:

MB 229.6

#### FUCHS Recommendations:

—

## TITAN

### GT1 PRO C-1 SAE 5W-30

Premium performance, extreme fuel-economy engine oil for modern passenger cars and light commercial vehicles with or without extended service intervals. Specially developed for vehicles with exhaust after treatment and turbocharger.

- optimal for modern passenger cars and light commercial vehicles with or without extended service intervals
- optimum cold starting and lower oil consumption
- minimised exhaust emissions



#### Specifications:

ACEA C1

#### Approvals:

JAGUAR LAND ROVER  
STJLR.03.5005

#### FUCHS Recommendations:

JASO DL-1  
FORD M2C934-B



**TITAN****GT1 PRO 2290****SAE 5W-30**

Premium performance, extreme fuel-economy engine oil for modern passenger cars and light commercial vehicles with or without extended service intervals. Specially developed for PSA vehicles with exhaust after treatment and turbocharger.

- optimal for modern passenger cars and light commercial vehicles with or without extended service intervals
- optimum cold starting and lower oil consumption
- minimised exhaust emissions

**Specifications:**

ACEA C2

**Approvals:**

PSA B71 2290

**FUCHS Recommendations:**

—

**TITAN****GT1 FLEX 34****SAE 5W-30**

Premium performance, extreme fuel-economy engine oil for modern passenger cars and light commercial vehicles with or without extended service intervals. Specially for RENAULT engines with exhaust after treatment and turbocharger.

- optimal for modern passenger cars and light commercial vehicles with or without extended service intervals
- optimum cold starting and lower oil consumption
- minimised exhaust emissions

**Specifications:**

ACEA C3 / C4

**Approvals:**

MB 226.51 / 229.51

RENAULT RN0720

**FUCHS Recommendations:**

FIAT 9.55535-S4

## TITAN GT1 SAE 5W-40

Premium performance, fuel-economy engine oil with XTL® technology for optimum cold start ability and outstanding performance reserves. For modern passenger cars and light commercial vehicles with or without extended service intervals.

- best cold starting characteristics
- significantly lower fuel consumption
- outstanding performance reserves
- specially developed for vehicles with exhaust after treatment and turbocharger



**Specifications:**  
ACEA C3; API SN/SM  
FORD M2C917-A

**Approvals:**  
dexos2™ (D20311HE075)  
MB 226.5 / 229.31  
PORSCHE A40  
RENAULT RN0700/RN0710  
VW 502 00 / 505 00 / 505 01

**FUCHS Recommendations:**  
API CF; FIAT 9.55535-S2 / -T2 / -GH2

## TITAN Supersyn LONGLIFE PLUS SAE 0W-30

Ultra high performance, extreme fuel-economy engine oil formulated with fully synthetic base oil for VW engines. Specially developed for VW LONGLIFE technology. For all passenger car gasoline and diesel engines with or without pump injector technology.

- highly stable lubricating film and thus outstanding lubrication at high temperatures such as in stop-and-go traffic in hot summers
- excellent fuel economy and significantly reduced cold-start wear



**Specifications:**

—

**Approvals:**  
VW 506 01

**FUCHS Recommendations:**  
VW 503 00 / 506 00

## **TITAN** **Supersyn** **LONGLIFE** **SAE 0W-30**

Ultra high performance, extreme fuel-economy engine oil for a variety of vehicles with or without extended service intervals.

- excellent cold starting characteristics
- lower oil consumption



### **Specifications:**

ACEA A3/B4  
API SL

### **Approvals:**

MB 229.5  
VW 502 00 / 505 00

### **FUCHS Recommendations:**

—

## **TITAN** **Supersyn** **LONGLIFE** **SAE 0W-40**

Ultra high performance, fuel-economy engine oil for a variety of vehicles with or without extended service intervals.

- excellent cold starting characteristics
- lower oil consumption



### **Specifications:**

ACEA A3/B4  
API SN

### **Approvals:**

MB 229.5; PORSCHE A40  
VW 502 00 / 505 00

### **FUCHS Recommendations:**

FORD M2C937-A

## **TITAN** **Supersyn** **LONGLIFE** **SAE 5W-40**

Ultra high performance, fuel-economy engine oil for a variety of vehicles with or without extended service intervals.

- optimum cold starting characteristics
- lower oil consumption
- high thermal stability



**Specifications:**  
ACEA A3/B4; API SN/SM

**Approvals:**  
MB 226.5 / 229.5  
PORSCHE A40; PSA B71 2296  
RENAULT RN0700 / RN0710  
VW 502 00 / 505 00

**FUCHS Recommendations:**  
API CF; GM-LL-B-025

## **TITAN** **Supersyn FE** **SAE 0W-30**

Ultra high performance, fuel-economy engine oil for a variety of vehicles with or without extended service intervals.

- excellent cold starting properties
- low oil consumption



**Specifications:**  
ACEA A5/B5

**Approvals:**  
VOLVO VCC 95200377

**FUCHS Recommendations:**  
RENAULT RN0700

**TITAN****Supersyn F Eco-FE**  
**SAE 0W-30**

Ultra high performance, extreme fuel-economy engine oil especially developed for modern FORD Diesel engines.

- excellent cold starting properties
- lower oil consumption
- potential for reduced CO<sub>2</sub> emissions
- suitable for extended oil change intervals
- optimum wear protection

**Specifications:**

ACEA C2  
FORD M2C950-A

**Approvals:**

JAGUAR LAND ROVER  
STJLR.03.5007

**FUCHS Recommendations:**

—

**TITAN****Supersyn F Eco-B**  
**SAE 5W-20**

Ultra high performance, extreme fuel-economy engine oil especially developed for FORD EcoBoost gasoline engines.

- optimum cold starting
- lower oil consumption

**Specifications:**

ACEA C5; API SN  
FORD M2C948-B

**Approvals:**

JAGUAR LAND ROVER  
STJLR.03.5004

**FUCHS Recommendations:**

ACEA A1/B1  
CHRYSLER MS 6395  
FIAT 9.55535-CR1  
FORD M2C925-A / M2C925-B

## TITAN

### Supersyn F Eco-DT SAE 5W-30

Ultra high performance, extreme fuel-economy engine oil especially suitable for FORD DuraTorq-Diesel engines.

- optimum cold starting
- lower oil consumption



#### Specifications:

ACEA A5/B5; API SL  
FORD M2C913-C; M2C913-D

#### Approvals:

JAGUAR LAND ROVER STJLR.03.5003

#### FUCHS Recommendations:

ACEA A1/B1; API CF  
CHRYSLER MS 6395;  
FORD M2C913-A/M2C913-B;  
IVECO 18-1811 CLASSE S1/S2;  
JAGUAR M2C913-B; RENAULT RN0700

## TITAN

### SYN SN SAE 0W-16

Super high performance, fuel-economy engine oil for a variety of gasoline engines. For use in normally aspirated and turbocharged gasoline engines.

- good cold starting
- lower oil consumption
- high fuel efficiency



#### Specifications:

API SN PLUS RC  
ILSAC GF-5

#### Approvals:

—

#### FUCHS Recommendations:

—

## TITAN SYN SN SAE 0W-20

Super high performance, fuel-economy engine oil for a variety of gasoline engines. For use in normally aspirated and turbocharged gasoline engines.

- good cold starting
- lower oil consumption
- high fuel efficiency



### Specifications:

API SN  
ILSAC GF-5

### Approvals:

—

### FUCHS Recommendations:

—

## TITAN Supersyn D1 SAE 0W-20

Ultra high performance, extreme fuel-economy engine oil especially suitable for GM gasoline engines requiring dexos1™ Gen 2 fluid.

- optimum cold starting
- lower oil consumption
- minimised exhaust emissions



### Specifications:

API SN PLUS RC  
ILSAC GF-5

### Approvals:

dexos1™ - Gen 2 (D10172GJ075)

### FUCHS Recommendations:

CHRYSLER MS 6395  
CHRYSLER MS-12145  
FIAT 9.55535-CR1 / -GSX  
FORD M2C947-A



## TITAN

### Supersyn D1

### SAE 5W-30

Ultra high performance, extreme fuel-economy engine oil especially suitable for GM gasoline engines requiring dexos1™ - Gen 2 fluid.

- optimum cold starting
- lower oil consumption



#### Specifications:

API SN PLUS RC

ILSAC GF-5

#### Approvals:

dexos1™ - Gen 2 (D135ACAJ075)

#### FUCHS Recommendations:

FORD M2C929-A / M2C946-A

FIAT 9.55535-CR1

CHRYSLER MS 6395

GM 6094M / GM 4718M

## TITAN

### Supersyn

### SAE 5W-40

Ultra high performance, fuel-economy engine oil for a variety of vehicles with or without extended service intervals.

- optimum cold starting
- lower oil consumption



#### Specifications:

ACEA A3/B4; API SN/SM

#### Approvals:

MB 229.3; PORSCHE A40

RENAULT RN0700/RN0710

VW 502 00/505 00

#### FUCHS Recommendations:

API CF; BMW LONGLIFE-98

CHRYSLER MS-12991

FIAT 9.55535-H2/M2/N2/Z2

GM-LL-A-025 / GM-LL-B-025

## TITAN Supersyn SAE 10W-60

Ultra high performance, fuel-economy engine oil for passenger cars. Highly durable lubricating film and high oil pressure.

- good cold starting
- lower oil consumption



### Specifications:

—

### Approvals:

—

### FUCHS Recommendations:

ACEA A3/B3

API SL/CF

FIAT 9.55535-H3

## TITAN SYN MC SAE 10W-40

Super high performance, fuel-economy engine oil based on MC-synthesis for a variety of gasoline and diesel engines in passenger cars.

- lower oil consumption



### Specifications:

ACEA A3/B4; API SN

### Approvals:

MB 229.3

PSA B71 2300

RENAULT RN0700/RN0710

VW 501 01 / 505 00

### FUCHS Recommendations:

API CF


FIAT 9.55535-D2 / G2

MB 229.1

# Oil Chooser

## Find the right oil for your vehicle

Visit our website and input your vehicle's registration plate number to see which FUCHS oil is the perfect choice for your vehicle.



Search by vehicle registration number or by inputting your make and model.

View on screen or save your results as a PDF for printing or future reference.

More than just engine oils for passenger cars, our oil chooser will provide full lubrication recommendations for cars, commercial vehicles, motorcycles, agricultural & construction equipment.

Find the oil chooser on our website or scan the QR code below to go direct from your mobile.

[www.fuchs.com/uk](http://www.fuchs.com/uk)



**Scan me** to visit the FUCHS oil chooser.

[illegible]

## Note


The information contained in this product information is based on the experience and know-how of FUCHS LUBRICANTS in the development and manufacturing of lubricants and represents current state-of-the-art. The performance of our products can be influenced by a series of factors, especially the specific use, the method of application, the operational environment, component pre-treatment, possible external contamination, etc. For this reason, universally-valid statements about the function of our products are not possible. Our products must not be used in aircrafts / spacecrafts or their components, unless such products are removed before the components are assembled into the aircraft /spacecraft. The information given in this product information represents general, non-binding guidelines. No warranty expressed or implied is given concerning the properties of the product or its suitability for any given application.

We therefore recommend that you consult a FUCHS LUBRICANTS application engineer to discuss application conditions and the performance criteria of the products before the product is used. It is the responsibility of the user to test the functional suitability of the product and to use it with the corresponding care.


Our products undergo continuous improvement. We therefore retain the right to change our product program, the products, and their manufacturing processes as well as all details of our product information sheets at any time and without warning, unless otherwise provided in customer-specific agreements. With the publication of this product information, all previous editions cease to be valid.

## Contact:

**FUCHS LUBRICANTS (UK) plc**  
New Century Street,  
Hanley, Stoke on Trent,  
ST1 5HU  
Phone: +44 (0)1782 203 700  
E-mail: [contact-uk@fuchs.com](mailto:contact-uk@fuchs.com)  
[www.fuchs.com/uk](http://www.fuchs.com/uk)

 [/fuchslubricantsuk](https://www.facebook.com/fuchslubricantsuk)

 [@fuchslube\\_uk](https://twitter.com/fuchslube_uk)

 [/fuchs-lubricants-uk-plc](https://www.linkedin.com/company/fuchs-lubricants-uk-plc)