

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: RENEP CGLP 220

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricant Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier	FUCHS LUBRICANTS (UK) PLC. New Century Street Hanley Stoke-on-Trent, Staffordshire, ST1 5HU UK
Telephone:	+44 (0) 1782 203700
Contact Person: Telephone: E-mail:	Product Safety department +44 (0) 1782 203700 product.safety@fuchs-oil.com
1.4 Emergency telephone number:	UK NHS: Dial 111. Ireland NPIS: Dial +353 1 8092566.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation (EU) 1272/2008 (CLP).

Classification according to Regulation (EC) No 1272/2008 as amended.

Environmental Hazard	S		
Chronic hazards to the aquatic environment		Category 3	H412: Harmful to aquatic life with long lasting effects.
Hazard summary Physical Hazards: No da		ta available.	
2.2 Label Elements			



Precautionary Statemen	ts
Prevention:	P273: Avoid release to the environment.
Disposal:	P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
3 Other hazards:	By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

2.3

General information:

Mixture containing severely refined base oils and additives.

Chemical name	ldentifier		REACH Registration No.	Notes
Alkylen amine	EINECS: 204-015-5	0,01 - <0,25%		

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Classification

Chemical name	Identifier	Classification
Alkylen amine	EINECS: 204-015-5	CLP: Asp. Tox. 1;H304, STOT RE 2;H373, Skin Corr. 1B;H314, Eye Dam. 1;H318, Aquatic Acute 1;H40 Aquatic Chronic 1;H410, Acute Tox. 4;H302, STC SE 3;H335; M-Factor (aquatic acute): 10; M-Factor (aquatic chronic): 10

CLP: Regulation No. 1272/2008.

For the wording of the listed risk phrases refer to section 16.

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

SECTION 4: First aid measures

General:Instantly remove any clothing soiled by the product.A.1 Description of first aid measures
Inhalation:Supply fresh air; consult doctor in case of symptoms.Eye contact:Promptly wash eyes with plenty of water while lifting the eye lids.Skin Contact:Wash with soap and water.Ingestion:Rinse mouth thoroughly.



4.2 Most important symptoms and effects, both acute and delayed:	May cause skin and eye irritation.		
4.3 Indication of any immediate medical attention and special treatment needed	Get medical attention if symptoms occur.		
SECTION 5: Firefighting measure	S		
5.1 Extinguishing media			
Suitable extinguishing media:	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added		
Unsuitable extinguishing media:	Water with a full water jet.		
5.2 Special hazards arising from the substance or mixture:	During fire, gases hazardous to health may be formed.		
5.3 Advice for firefighters			
Special fire fighting procedures:	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.		
Special protective equipment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
SECTION 6: Accidental release m	easures		
6.1 Personal precautions, protective equipment and emergency procedures:	In case of spills, beware of slippery floors and surfaces.		
6.2 Environmental Precautions:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent from spreading (e.g. by binding or oil barriers). Environmental manager must be informed of all major spillages. Do not allow to enter drainage system, surface or ground water.		
6.3 Methods and material for containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.		
6.4 Reference to other sections:	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.		



SECTION 7: Handling and storage:		
7.1 Precautions for safe handling:	Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.	
7.2 Conditions for safe storage, including any incompatibilities:	Local regulations concerning handling and storage of waterpolluting products have to be followed. Do not heat up to temperatures close to the flash point.	
7.3 Specific end use(s):	not applicable	
Storage Class:	10, Combustible liquids	
SECTION 8: Exposure controls/pe	rsonal protection	
8.1 Control Parameters Occupational Exposure Limit	s None of the components have assigned exposure limits.	
8.2 Exposure controls		
Appropriate engineering controls:	Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.	
Individual protection measure	es, such as personal protective equipment	
General information:	Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.	
Eye/face protection:	Safety glasses (EN 166) recommended during refilling.	
Skin protection Hand Protection:	Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0,38 mm Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the	
Other:	manufacturer of the protective gloves and has to be observed. Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.	



Respiratory Protection:	Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.
Thermal hazards:	Not known.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.
Environmental Controls:	No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	
Physical state:	liquid
Form:	liquid
Color:	Brown
Odor:	Characteristic
Odor Threshold:	Not applicable for mixtures
pH:	not applicable
Freezing point:	Not applicable for mixtures
Boiling Point:	No data available.
Flash Point:	240 °C
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	Value not relevant for classification
Flammability Limit - Upper (%)–:	Not applicable for mixtures
Flammability Limit - Lower (%)–:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Vapor density (air=1):	Not applicable for mixtures
Density:	0,89 g/cm3 (15 °C)
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Autoignition Temperature:	Value not relevant for classification
Decomposition Temperature:	Value not relevant for classification
Kinematic viscosity:	220 mm2/s (40 °C)
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
9.2 Other information	No data available.



SECTION 10: Stability and reactivity		
10.1 Reactivity:	Stable under normal use conditions.	
10.2 Chemical Stability:	Stable under normal use conditions.	
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.	
10.4 Conditions to avoid:	Stable under normal use conditions.	
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.	
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.	
SECTION 11: Toxicological inform	nation	
11.1 Information on toxicological	effects	
Acute toxicity		
Oral Product:		
Specified substance(s) Alkylen amine	Not classified for acute toxicity based on available data. LD 50 (Rat): 1.689 mg/kg	
Dermal Product:	Not classified for acute toxicity based on available data.	
Inhalation Product:	Not classified for acute toxicity based on available data.	
Skin Corrosion/Irritation: Product:	Based on available data, the classification criteria are not met.	
Serious Eye Damage/Eye Irr Product:	itation: Based on available data, the classification criteria are not met.	
Respiratory or Skin Sensitiz Product:	ation: Skin sensitizer: Based on available data, the classification criteria are not met. Respiratory sensitizer: Based on available data, the classification criteria are not met.	
Germ Cell Mutagenicity Product:	Based on available data, the classification criteria are not met.	

Carcinogenicity



Product:	Based on available data, the classification criteria are not met.
Reproductive toxicity Product:	Based on available data, the classification criteria are not met.
Specific Target Organ Toxic Product:	city - Single Exposure Based on available data, the classification criteria are not met.
Specific Target Organ Toxic Product:	city - Repeated Exposure Based on available data, the classification criteria are not met.
Aspiration Hazard Product:	Based on available data, the classification criteria are not met.
Other adverse effects:	No data available.

12.1 Toxicity

Acute toxicity Product:	Based on available data, the classification criteria are not met.
Fish Specified substance(s) Alkylen amine	LC 50 (Fish, 96 h): > 0,11 - 1 mg/l
Aquatic Invertebrates Specified substance(s) Alkylen amine	EC 50 (Water Flea, 48 h): > 0,11 - 1 mg/l
Chronic ToxicityProduct:	Based on available data, the classification criteria are met.
12.2 Persistence and Degradabili	ity
Biodegradation Product:	Not applicable for mixtures
12.3 Bioaccumulative potential Product:	Not applicable for mixtures
12.4 Mobility in soil: Product:	Not applicable for mixtures
12.5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB criteria.
12.6 Other adverse effects:	Harmful to aquatic life with long lasting effects.
Water Hazard Class	WGK 1: slightly water-endangering.



SECTION 13: Disposal considerations 13.1 Waste treatment methods		
Disposal methods:	Discharge, treatment, or disposal may be subject to national, state, or local	

European Waste Codes

13 02 05*: mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

ADR/RID 14.1 UN Number: 14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es) Class: Label(s): Hazard No. (ADR): Tunnel restriction code: 14.4 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user:	– Non-dangerous goods – – – –
ADN 14.1 UN Number: 14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es) Class: Label(s): 14.3 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user:	– – Non-dangerous goods – – –
IMDG 14.1 UN Number: 14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es) Class: Label(s): EmS No.: 14.3 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user:	– Non-dangerous goods – – – –

laws.



ΙΑΤΑ	
14.1 UN Number: 14.2 Proper Shipping Name: 14.3 Transport Hazard Class(es):	-
Class:	Non-dangerous goods
Label(s):	–
14.4 Packing Group:	-
14.5 Environmental hazards:	-
14.6 Special precautions for user:	-

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer: none

Regulation (EC) No. 850/2004 on persistent organic pollutants: none

15.2 Chemical safety No Chemical Safety Assessment has been carried out. **assessment:**

SECTION 16: Other information

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Other information:	The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies. The classification results from the Conventional Method mentioned in regulation EU 1272/2008 (CLP).
Revision Date:	09.01.2017



Disclaimer:

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.