

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: RENOCLEAN SMC

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Cleaning agent/ Cleaner

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier FUCHS LUBRICANTS (UK) PLC.
New Century Street
Hanley
Stoke-on-Trent, Staffordshire, ST1 5HU
UK

Telephone: +44 (0) 1782 203700

Contact Person: Product Safety department
Telephone: +44 (0) 1782 203700
E-mail: product.safety@fuchs-oil.com

1.4 Emergency telephone number: UK NHS: Dial 111. Ireland NPIS: Dial +353 1 8092566.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation (EU) 1272/2008 (CLP).

Classification according to Regulation (EC) No 1272/2008 as amended.

Health Hazards

Skin corrosion	Category 1B	H314: Causes severe skin burns and eye damage.
----------------	-------------	--

Serious eye damage	Category 1	H318: Causes serious eye damage.
--------------------	------------	----------------------------------

Environmental Hazards

Chronic hazards to the aquatic environment	Category 3	H412: Harmful to aquatic life with long lasting effects.
--	------------	--

Hazard summary

Physical Hazards: No data available.

2.2 Label Elements

Product name: RENOCLEAN SMC

Contains: Oxazolidine derivative



Signal Words: Danger

Hazard Statement(s): H314: Causes severe skin burns and eye damage.
H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement

Prevention: P273: Avoid release to the environment.
P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response: P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P310: Immediately call a POISON CENTER/doctor.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental label information

EUH208: Contains D-Limonene. May produce an allergic reaction.

2.3 Other hazards: By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information: Mixture based on ionic- and nonionic tensides in combination with stabilizers. This product is applied only as solution or emulsion in water.

Chemical name	Identifier	Concentration *	REACH Registration No.	Notes
Oxazolidine derivative	EINECS: 266-235-8	5,00 - <10,00%		
Tall oil fatty acid/MEA neutralisation product	Neutralisation product (*)	1,00 - <5,00%		
Propylene glycol butylether	EINECS: 225-878-4	1,00 - <5,00%	01-2119475527-28	
Monoethanol amine	EINECS: 205-483-3	1,00 - <5,00%	01-2119486455-28	
Na sulphonate	EINECS: 307-055-2	1,00 - <5,00%	01-2119489924-20	
Na Sulfonate	EINECS: 271-781-5	1,00 - <5,00%	01-2119527859-22	
Fatty alcohol, ethoxylated	EC: 500-241-6	1,00 - <5,00%		

Product name: RENOCLEAN SMC

sodium sulphonate	EINECS: 239-854-6	1,00 - <5,00%	01-2119489411-37	
Pyrithione, sodium salt	EINECS: 223-296-5	1,00 - <5,00%		
D-Limonene	EINECS: 227-813-5	0,10 - <1,00%	01-2119529223-47	

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.
 PBT: persistent, bioaccumulative and toxic substance.
 vPvB: very persistent and very bioaccumulative substance.
 (*) Neutralisation product: Equilibrium of Ionic Pairs in aqueous solution according to REACH Annex V, 4.

Classification

Chemical name	Identifier	Classification
Oxazolidine derivative	EINECS: 266-235-8	CLP: Skin Corr. 1C;H314, Eye Dam. 1;H318, Acute Tox. 4;H302, Acute Tox. 4;H312
Tall oil fatty acid/MEA neutralisation product	Neutralisation product (*)	CLP: Acute Tox. 4;H302, Acute Tox. 4;H312, Acute Tox. 4;H332, Eye Irrit. 2;H319, Skin Irrit. 2;H315, STOT RE 3;H335, Aquatic Chronic 3;H412
Propylene glycol butylether	EINECS: 225-878-4	CLP: Flam. Liq. 3;H226, Skin Irrit. 2;H315, Eye Irrit. 2;H319
Monoethanol amine	EINECS: 205-483-3	CLP: Skin Corr. 1B;H314, Eye Dam. 1;H318, STOT SE 3;H335, Acute Tox. 4;H302, Acute Tox. 4;H312, Acute Tox. 4;H332, Aquatic Chronic 3;H412
Na sulphonate	EINECS: 307-055-2	CLP: Eye Dam. 1;H318, Skin Irrit. 2;H315
Na Sulfonate	EINECS: 271-781-5	CLP: Eye Irrit. 2;H319
Fatty alcohol, ethoxylated	EC: 500-241-6	CLP: Eye Dam. 1;H318, Acute Tox. 4;H302
sodium sulphonate	EINECS: 239-854-6	CLP: Eye Irrit. 2;H319
Pyrithione, sodium salt	EINECS: 223-296-5	CLP: Acute Tox. 4;H302, Skin Irrit. 2;H315, Eye Irrit. 2;H319, Aquatic Acute 1;H400, Acute Tox. 4;H332, Acute Tox. 4;H312
D-Limonene	EINECS: 227-813-5	CLP: Flam. Liq. 3;H226, Skin Irrit. 2;H315, Skin Sens. 1;H317, Asp. Tox. 1;H304, Aquatic Chronic 1;H410

CLP: Regulation No. 1272/2008.

For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

General: Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation: If breathing stops, provide artificial respiration. If breathing is difficult, give oxygen. Supply fresh air; consult doctor in case of symptoms.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.

Skin Contact: Wash with soap and water. Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Destroy or thoroughly clean contaminated shoes. Get medical attention.

Ingestion: Rinse mouth. Never give liquid to an unconscious person. Do not induce vomiting without advice from poison control center. Seek medical attention.

Product name: RENOCLEAN SMC

- 4.2 Most important symptoms and effects, both acute and delayed:** Risk of serious damage to eyes. Causes burns.
- 4.3 Indication of any immediate medical attention and special treatment needed** When handing over this safety data sheet, please make the remark: "Cleaner". Get medical attention if symptoms occur. When handing over this safety data sheet, please make the remark: "Cleaner". Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media**
- Suitable extinguishing media:** CO₂, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added
- Unsuitable extinguishing media:** Water with a full water jet.
- 5.2 Special hazards arising from the substance or mixture:** During fire, gases hazardous to health may be formed.
- 5.3 Advice for firefighters**
- Special fire fighting procedures:** Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.
- Special protective equipment for fire-fighters:** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures:** Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. In case of spills, beware of slippery floors and surfaces.
- 6.2 Environmental Precautions:** Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent from spreading (e.g. by binding or oil barriers). Environmental manager must be informed of all major spillages. Do not allow to enter drainage system, surface or ground water.
- 6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.
- 6.4 Reference to other sections:** See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.
- Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk.

Product name: RENOCLEAN SMC

SECTION 7: Handling and storage:

- 7.1 Precautions for safe handling:** Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.
- 7.2 Conditions for safe storage, including any incompatibilities:** Local regulations concerning handling and storage of waterpolluting products have to be followed.
- 7.3 Specific end use(s):** not applicable
- Storage Class:** 12, Non-combustible liquids

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

Chemical name	type	Exposure Limit Values	Source
Monoethanol amine	TWA	1 ppm 2,5 mg/m3	UK. EH40 Workplace Exposure Limits (WELs) (12 2011)
Monoethanol amine	STEL	3 ppm 7,6 mg/m3	UK. EH40 Workplace Exposure Limits (WELs) (12 2011)

8.2 Exposure controls

Appropriate engineering controls: Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to in handling the chemicals or the mineral oil products.

Eye/face protection: Safety glasses (EN 166) recommended during refilling. Avoid contact with eyes. Wear closed protection glasses.

Product name: RENOCLEAN SMC

Skin protection

Hand Protection:

Material: Nitrile butyl rubber (NBR).
Min. Breakthrough time: ≥ 480 min
Recommended thickness of the material: $\geq 0,38$ mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Other:

Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.

Respiratory Protection:

Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.

Thermal hazards:

Not known.

Hygiene measures:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

Environmental Controls:

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state:	liquid
Form:	liquid
Color:	Yellow
Odor:	Characteristic
Odor Threshold:	Not applicable for mixtures
pH:	9,8 (20 g/l)
Freezing point:	Not applicable for mixtures
Boiling Point:	not applicable
Flash Point:	not applicable
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	Value not relevant for classification
Flammability Limit - Upper (%)-:	Not applicable for mixtures
Flammability Limit - Lower (%)-:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Vapor density (air=1):	Not applicable for mixtures
Density:	1,02 g/cm ³ (15 °C)
Solubility(ies)	
Solubility in Water:	Soluble
Solubility (other):	No data available.

Product name: RENOCLEAN SMC

Partition coefficient (n-octanol/water):	Not applicable for mixtures
Autoignition Temperature:	Value not relevant for classification
Decomposition Temperature:	Value not relevant for classification
Flow time	Value not relevant for classification
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
9.2 Other information	No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

SECTION 11: Toxicological information

Information on likely routes of exposure

Inhalation:	No data available.
Ingestion:	No data available.
Skin Contact:	Causes severe skin burns.
Eye contact:	Causes serious eye damage.

11.1 Information on toxicological effects

Acute toxicity

Oral Product:	ATEmix: 3.379 mg/kg
----------------------	---------------------

Product name: RENOCLEAN SMC

Specified substance(s)

Oxazolidine derivative	LD 50 (Rat): 900 mg/kg
Propylene glycol butylether	LD 50 (Rat): > 2.001 mg/kg
Monoethanol amine	LD 50 (Rat): 1.515 mg/kg (OECD 401)
Na sulphonate	LD 50 (Rat): > 2.001 mg/kg
Na Sulfonate	LD 50 (Rat): > 5.000 mg/kg
Fatty alcohol, ethoxylated	LD 50 (Rat): > 300 - 2.000 mg/kg
sodium sulphonate	LD 50 (Rat): > 7.000 mg/kg
Pyrrithione, sodium salt	LD 50 (Rat): 1.600 mg/kg

Dermal

Product:

ATEmix: 6.770 mg/kg

Specified substance(s)

Oxazolidine derivative	LD 50 (Rabbit): 1.207 - 1.620 mg/kg
Propylene glycol butylether	LD 50 (Rat): > 2.001 mg/kg
Monoethanol amine	LD 50 (Rabbit): 2.504 mg/kg (OECD 402)
Fatty alcohol, ethoxylated	LD 50 (Rat): > 2.001 mg/kg
sodium sulphonate	LD 50 (Rabbit): > 2.001 mg/kg
Pyrrithione, sodium salt	LD 50 (Rabbit): 1.800 mg/kg

Inhalation

Product:

ATEmix: 129,41 mg/l
Vapour

Specified substance(s)

sodium sulphonate	LC 50 (Rat, 4 h): > 5 mg/l
-------------------	----------------------------

Skin Corrosion/Irritation:

Product:

Based on available data, the classification criteria are met.

Specified substance(s)

Monoethanol amine	Corrosive.
-------------------	------------

sodium sulphonate	OECD 404 (Rabbit): Slightly irritating.
-------------------	--

Product name: RENOCLEAN SMC

Serious Eye Damage/Eye Irritation:

Product: Based on available data, the classification criteria are met.

Specified substance(s)

Monoethanol amine
Corrosive to skin and eyes.

sodium sulphonate
OECD 405 (Rabbit):
Moderately irritating to the eyes.

Respiratory or Skin Sensitization:

Product: Skin sensitizer: Based on available data, the classification criteria are not met.

Respiratory sensitizer: Based on available data, the classification criteria are not met.

Specified substance(s)

Monoethanol amine
, OECD 406-1 (Guinea Pig)
Not a skin sensitizer.

Fatty alcohol, ethoxylated
No sensitizing effect (guinea pig); OECD 406

sodium sulphonate
, OECD 406-2 (Guinea Pig)
No sensitizing effect (guinea pig); OECD 406

Germ Cell Mutagenicity

Product: Based on available data, the classification criteria are not met.

Carcinogenicity

Product: Based on available data, the classification criteria are not met.

Reproductive toxicity

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Single Exposure

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure

Product: Based on available data, the classification criteria are not met.

Aspiration Hazard

Product: Based on available data, the classification criteria are not met.

Other Adverse Effects:

No data available.

Product name: RENOCLEAN SMC

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

Product: Based on available data, the classification criteria are not met.

Fish

Specified substance(s)

Oxazolidine derivative	LC 50 (Fish, 96 h): 57,7 mg/l
Propylene glycol butylether	LC 50 (Fish, 96 h): > 101 mg/l
Monoethanol amine	LC 50 (Fish, 96 h): 125 mg/l
Fatty alcohol, ethoxylated	LC 50 (Fish, 96 h): 1,1 mg/l
sodium sulphonate	LC 50 (Fish, 96 h): > 101 mg/l
Pyrithione, sodium salt	LC 50 (Fish, 96 h): 1.300 mg/l

Aquatic Invertebrates

Specified substance(s)

Oxazolidine derivative	EC 50 (Water Flea, 48 h): 37,9 mg/l
Propylene glycol butylether	EC 50 (Water Flea, 48 h): > 101 mg/l
Monoethanol amine	EC 50 (Water Flea, 48 h): 65 mg/l
Na sulphonate	EC 50 (Water Flea, 48 h): 9,81 mg/l (OECD 202)
Fatty alcohol, ethoxylated	EC 50 (Water Flea, 48 h): 1,1 mg/l
sodium sulphonate	EC 50 (Water Flea, 48 h): > 101 mg/l
Pyrithione, sodium salt	EC 50 (Water Flea, 48 h): 0,15 mg/l

Chronic Toxicity Product: Based on available data, the classification criteria are met.

Fish

Specified substance(s)

Monoethanol amine	NOEC (Fish, 30 d): 1,2 mg/l
-------------------	-----------------------------

Aquatic Invertebrates

Specified substance(s)

Monoethanol amine	NOEC (Water Flea, 21 d): 0,85 mg/l (OECD 211)
-------------------	---

Toxicity to Aquatic Plants

Specified substance(s)

Oxazolidine derivative	EC 50 (Alga, 72 h): 5,7 mg/l
Monoethanol amine	EC 50 (Alga, 72 h): 22 mg/l

Product name: RENOCLEAN SMC

Na sulphonate	EC 50 (Alga, 72 h): > 61 mg/l (OECD 201)
Fatty alcohol, ethoxylated	EC 50 (Alga, 72 h): 1,1 mg/l
sodium sulphonate	EC 50 (Alga, 72 h): > 101 mg/l

12.2 Persistence and Degradability

Biodegradation

Product:	Not applicable for mixtures
Specified substance(s) Monoethanol amine	> 90 % (21 d, OECD 301A) The product is easily biodegradable.
sodium sulphonate	> 60 % (28 d, OECD 301B) The product is easily biodegradable.

12.3 Bioaccumulative Potential

Product: Not applicable for mixtures

12.4 Mobility in Soil:

Product: Not applicable for mixtures

12.5 Results of PBT and vPvB assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

12.6 Other Adverse Effects:

Harmful to aquatic life with long lasting effects.

Water Hazard Class (WGK):

WGK 2: water-endangering.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: Dispose in accordance with all applicable regulations.

Disposal methods: Discharge, treatment, or disposal may be subject to national, state, or local laws.

European Waste Codes

11 01 07*: pickling bases

Product name: RENOCLEAN SMC

SECTION 14: Transport information

ADR/RID

14.1 UN Number:	UN 2735
14.2 UN Proper Shipping Name:	AMINES, LIQUID, CORROSIVE, N.O.S.(Oxazolidine derivative)
14.3 Transport Hazard Class(es)	
Class:	8
Label(s):	8
Hazard No. (ADR):	80
Tunnel restriction code:	(E)
14.4 Packing Group:	III
14.5 Environmental hazards:	–
14.6 Special precautions for user:	–

ADN

14.1 UN Number:	UN 2735
14.2 UN Proper Shipping Name:	AMINES, LIQUID, CORROSIVE, N.O.S.(Oxazolidine derivative)
14.3 Transport Hazard Class(es)	
Class:	8
Label(s):	8
14.3 Packing Group:	III
14.5 Environmental hazards:	–
14.6 Special precautions for user:	–

IMDG

14.1 UN Number:	UN 2735
14.2 UN Proper Shipping Name:	AMINES, LIQUID, CORROSIVE, N.O.S.(Oxazolidine derivative)
14.3 Transport Hazard Class(es)	
Class:	8
Label(s):	8
EmS No.:	F-A, S-B
14.3 Packing Group:	III
14.5 Environmental hazards:	–
14.6 Special precautions for user:	–

IATA

14.1 UN Number:	UN 2735
14.2 Proper Shipping Name:	Amines, liquid, corrosive, n.o.s.(Oxazolidine derivative)
14.3 Transport Hazard Class(es):	
Class:	8
Label(s):	8
14.4 Packing Group:	III
14.5 Environmental hazards:	–
14.6 Special precautions for user:	–

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Product name: RENOCLEAN SMC

Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer: none

Regulation (EC) No. 850/2004 on persistent organic pollutants: none

**15.2 Chemical safety
assessment:**

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Revision Information:

Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Other information:

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies. The classification results from the Conventional Method mentioned in regulation EU 1272/2008 (CLP).

Revision Date:

14.06.2016

Disclaimer:

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.