



Silkolene[®] Superior Motorcycle Oils and Maintenance Products

MOVING YOUR WORLD



Contents

- 2** Why FUCHS?
- 3** 100% motorcycle brand
- 6** XP Technology - explained
- 8** Choosing the right product
- 11** The range - 4T engine oils
- 12** The range - 2T engine oils / classic oils
- 13** The range - gear oils / suspension fluids / coolants
- 14** The range - fuel additives / brake & clutch fluids /
cleaners / greases
- 15** The range - aerosols: chain lubes & cleaners
- 16** Customer support
- 21** Full product listing inc. codes / case qty.
- 23** Contacts

Why FUCHS?



Founded in 1931 as a family business in Mannheim 3 generations ago, FUCHS is the world's largest independent supplier of innovative lubricant solutions, covering almost every industry and application with a full range of over 10,000 lubricants and related specialties.

Today, the company's 6,000 employees in over 50 countries still share the same goal: to keep the world moving both sustainably and efficiently. To live up to this claim, we think in terms of perfection, not merely standards. When developing individual solutions, we enter into an intensive customer dialogue - acting as an experienced consultant, innovative problem solver and reliable team partner.

The results FUCHS provides meet not only the highest technological requirements but also help customers save on operating costs and emissions. Because at FUCHS sustainability is not simply an empty phrase, but a mindset - and thus the basis and aspiration of all our business activity.

You can find out more about FUCHS by visiting:
www.fuchs.com/uk





Silkolene®

100%

MOTORCYCLE BRAND

FUCHS Silkolene sponsors road racing team DAO Racing
and their rider 3x TT Winner Dean Harrison

100% Motorcycle brand 100% Passion



FUCHS Silkolene sponsors
California Superbike School

The Silkolene range of premium motorcycle lubricants has some unique USPs when compared to competitors including;

- 100% dedicated to motorcycle lubricants. Silkolene are a true motorcycle lubricant specialist and do not sell lubricants into any other industry.
- A vast pedigree with over 75 years of experience in producing motorcycle lubricants and associated products.
- Continuous R&D, in partnership with 30 laboratories across the world, ensures we use the latest technology to deliver optimum performance across the range.
- The entire Silkolene range meets or exceeds all required API & JASO MA MA2 specifications, as required in most manufacturer's handbooks.
- Only Silkolene can offer XP technology, giving up to a 3% increase in BHP, up to 18% less oil consumption, up to 11% improved fuel economy and industry-leading wear rate protection.



A true thoroughbred



Dalton and Company was founded in 1908 - originally manufacturers of veterinary products to local farmers, they realised there was potential in selling lubricants for farmers' machinery and began developing oils for the growing motor industry.

1939

Dalton and Company Limited establish a refining service for used aero-engine oils.

1962

Becomes the first plant in the UK to manufacture pharmaceutical and cosmetic quality petroleum jellies in the UK under the brand name of 'Silkolene'.

1982

The Silkolene motorcycle brand fully enters the motorsport world with Silkolene race teams and a long-term sponsorship agreement with Honda UK's motorcycle race team.

1990

Dalton and Company Limited officially change their name to Silkolene Lubricants

1996

Silkolene is purchased by the Fuchs group and FUCHS LUBRICANTS (UK) plc was born.

TODAY

FUCHS LUBRICANTS UK is the group's global Centre of Excellence for the Silkolene range. Now with over 40 years of knowledge & experience, Silkolene is a range of market-leading, 100% dedicated motorcycle lubricants, sold in over 55 countries worldwide.

A close-up photograph of a scientist in a laboratory. The scientist is wearing a white lab coat and blue safety glasses. They are holding a round-bottom flask with a yellow liquid inside. The background is a blurred laboratory setting. The text is overlaid on a dark blue rectangular area in the bottom left corner.

Silkolene[®]

**XP TECHNOLOGY
EXPLAINED**

XP Technology - explained



As a market leader producing superior and technologically advanced motorcycle lubricants, Silkolene has always pushed the boundaries of lubricant technology and set the standards for others to follow.

We boast a range of products that uses the latest innovative technologies, combats engine wear and reduces friction on all critical load surfaces, at both high temperature operation and on cold starts.

Based on our existing PRO and COMP products and following extensive R&D test studies by our chemical engineering teams, we have developed **XP Technology** - the next generation of technologically advanced motorcycle lubricants.

Current grades available include:

PRO 4 XP

5W-40 / 10W-30 / 10W-40 / 10W-50 / 10W-60 / 15W-50

COMP 4 XP

10W-30 / 10W-40 / 15W-50 / 20W-50

XP TECHNOLOGY

- ✓ **Up to 11% Fuel Savings**
- ✓ **Up to 18% Lower Oil Consumption**
- ✓ **Up to 3% Improved Power (BHP/Torque)**
- ✓ **Reduced Engine Wear**



Silkolene®

**CHOOSING THE
RIGHT PRODUCT**

Our packaging - clear & easy to understand



With our clear and defined colour coded label system, it's never been easier for the customer to choose the right product:

- Pro**
Ester Based Fully Synthetic = **Red**
- Comp**
Ester Based Premium Semi Synthetic = **Gold**
- Super**
Semi Synthetic = **Silver**
- Maintenance = **Blue**
- Scoot = **Purple**
- Race = **Black**



All XP Technology grades stated in name

Clear description of viscosity

4T or 2T clearly shown

Suitable for Off Road / Road



Our packaging

- recyclable options in 4L & 20L



The Silkolene Lube Cube - a single-use, 100% recyclable packaging system, developed over the past 10 years with anti-glug and easy-pour technology.



Currently one of the most convenient, cost-effective and sustainable forms of lubrication packaging on the market, the Lube Cube has enabled us to reduce our use of plastic containers by over 1,130,000kg since its launch in 2012.

Once empty, the cardboard outer can be flat packed and placed with normal recycling waste. The Lube Cube's inner plastic bag can also be placed with normal recycling waste if the bag has been washed out prior to disposal.

The Lube Cube also maximises your storage efficiency. By stacking more easily than plastic bottle packaging, more product can fit onto a standard pallet.

Since its 2012 launch, we have sold more than **1,750,000** UK Manufactured Lube Cubes, reducing our use of plastic containers by over **1,130,000kg**

Product	Description	Specifications	Approvals
4-Stroke Engine Oils: PRO Ester Based Fully Synthetic			
PRO 4 XP 5W-40 PRO 4 XP 10W-30 PRO 4 XP 10W-40 PRO 4 XP 10W-50 PRO 4 XP 10W-60 PRO 4 XP 15W-50	<ul style="list-style-type: none"> formulated to meet the needs of both air and water-cooled 4-stroke engines. the recommended SAE grades for the majority of motorcycle manufacturers. 	API SN	JASO MA2 APPROVED
QUAD & UTV 5W-40	<ul style="list-style-type: none"> increased power and optimum engine protection over a wide range of ambient temperatures. stay-in-grade capability ensures consistent performance for the full oil service life. 	API SN ACEA A3/B3	JASO MA2 APPROVED
SCOOT SPORT 4 5W-40	<ul style="list-style-type: none"> latest technology provides increased power and optimum engine protection for improved long term performance and reliability. 	API SN/SM	JASO MA2 APPROVED
4-Stroke Engine Oils: COMP Synthetic Ester Based			
COMP 4 XP 10W-30 COMP 4 XP 10W-40 COMP 4 XP 15W-50 COMP 4 XP 20W-50	<ul style="list-style-type: none"> formulated to meet the needs of both air and water-cooled 4-stroke engines. the recommended SAE grades for the majority of motorcycle manufacturers. 	API SL	JASO MA2 APPROVED
4-Stroke Engine Oils: SUPER Semi Synthetic & Mineral			
SUPER 4 10W-30 SUPER 4 10W-40 SUPER 4 15W-50 SUPER 4 20W-50	<ul style="list-style-type: none"> protects the engine & transmission with advanced additive chemistry from start to full power. detergents, dispersants & load carrying agents give excellent cleanliness & minimum wear of moving parts. 	API SL	JASO MA2 APPROVED
SCOOT 4 10W-40	<ul style="list-style-type: none"> provides exceptional anti-corrosion & anti-wear performance, even under extreme temperature conditions. ideal for use in all modern high performance, free-revving 4-stroke scooters. 	API SL	JASO MA2 APPROVED
V-TWIN 20W-50	<ul style="list-style-type: none"> mineral engine oil for all Harley Davidson and Metric V-Twins. provides a high level of engine cleanliness & protects engine components from wear & corrosion. 	API SL	JASO MA2 APPROVED
QUAD & UTV 10W-40	<ul style="list-style-type: none"> anti-wear detergents, dispersants & anti-corrosion systems provide excellent engine cleanliness & minimum wear to ensure long-term reliability. 	API SL	JASO MA2 APPROVED
4-Stroke Engine Oils: PRO Fully Synthetic Race Application			
PRO 4 PLUS 5W-40 PRO 4 PLUS 10W-50	<ul style="list-style-type: none"> ultimate fully synthetic ester engine oil, the proven formula increases power and gives ultimate performance and reliability. 	API SN	JASO MA2 APPROVED
PRO R 0W-20	<ul style="list-style-type: none"> unique low viscosity synthetic oil which cuts oil drag yet maintains a tough low-wear film on highly stressed components. 		FOR RACE USE ONLY
CASTORENE R40S CASTORENE R50S	<ul style="list-style-type: none"> castor & synthetic ester blend - suitable for 2T & 4T engines. For dry sump speedway engines. 		MUST NOT BE MIXED WITH MINERAL OILS

Product	Description	Specifications
2-Stroke Engine Oils: PRO Ester Based Fully Synthetic		
COMP 2 PLUS	<ul style="list-style-type: none"> ultra-low smoke, clean-burning lubricant providing maximum performance, extra power and reliability. compatible with all fuels and suitable for PreMix and injector systems. 	API TC ISO L-EGD JASO FC/FD
2-Stroke Engine Oils: SCOOTER Fully Synthetic		
CLASSIC 2-STROKE	<ul style="list-style-type: none"> fully synthetic ester, clean-burning, low smoke formula. Reduces friction & wear. maintains optimum power and is fully compatible with all modern fuel. 	API TC ISO L-EGD JASO FC/FD
2-Stroke Engine Oils: COMP Synthetic Ester Based		
COMP 2	<ul style="list-style-type: none"> advanced low smoke, low ash formula reduces engine wear - prevents piston seizure & exhaust port blockage. suitable for PreMix and Injector systems. Mix well. refer to handbook for mix recommendations. Compatible with all fuels. 	API TC ISO L-EGD JASO FC/FD
SCOOT SPORT 2	<ul style="list-style-type: none"> clean-burning, low smoke engine oil. Optimises power & improves fuel economy. outstanding resistance to ring sticking, plug fouling and pre-ignition. compatible with all fuels. Suitable for both PreMix and injector systems. 	API TC ISO L-EGD JASO FC/FD
2-Stroke Engine Oils: SUPER Semi Synthetic		
SCOOT 2	<ul style="list-style-type: none"> MC-Syn technology provides excellent anti-wear properties. a clean-burning, low smoke formula. Compatible with all fuels. 	ISO L-EGC JASO FC
2-Stroke Engine Oils: PRO Fully Synthetic Race Application		
PRO 2	<ul style="list-style-type: none"> competition oil that can provide the latest racing engines with outstanding load-carrying & cleanliness requirements necessary for full power output even at high fuel to oil ratios. only for use with PreMix systems. recommended mix up to 50:1 (2%). DO NOT MIX WITH CONVENTIONAL OILS. 	CIK FIA HOMOLOGATED 
PRO KR2	<ul style="list-style-type: none"> for high output kart engines giving exceptional performance and reliability. compatible with all fuels. Consult engine manufacturer for mix recommendations. DO NOT MIX WITH OTHER LUBRICANTS. SAE 30. 	CIK FIA HOMOLOGATED 
Classic Oils: 4L Classic Tins		
CHATSWORTH 30 CHATSWORTH 40	<ul style="list-style-type: none"> monograde low detergent/dispersant engine oil. SAE 30/40. 	API SD/CC
DONINGTON 40	<ul style="list-style-type: none"> monograde non-detergent engine oil. Suitable for certain 1930s & 1940s vintage & veteran motorcycles. SAE 40. 	API SA
HARDWICK 50	<ul style="list-style-type: none"> monograde, detergent/dispersant engine oil. Includes high levels of anti-wear additives. SAE 50. 	API SF/CD
OSMASTON 50	<ul style="list-style-type: none"> monograde, non-detergent engine oil. Can also be used for total loss lubrication systems & certain gearboxes. SAE 50. 	API SB
RHINO 140	<ul style="list-style-type: none"> multipurpose mild EP gear oil. Suitable for use in gearboxes and final drives where this type of oil is specified. 	API GL-3
SILKOLUBE 20W-50	<ul style="list-style-type: none"> multigrade low detergent/dispersant engine oil. Suitable for many pre-1990s classic motorcycles. 	API SF/CC
2T PRE-MIX	<ul style="list-style-type: none"> synthetic ester 2-stroke oil. Suitable for older pre-mix engines and certain rotary engines. SAE 40. 	API TC JASO FB

Product	Description	Specifications
Gear Oils Fully Synthetic		
PRO SRG 75	<ul style="list-style-type: none"> racing gear oil. crankcase rating SAE 10W-30. 	
Gear Oils Semi Synthetic		
COMP GEAR 80W-90	<ul style="list-style-type: none"> racing gear oil. crankcase rating SAE 10W-40. 	
Gear Oils		
V-TWIN 80W-90	<ul style="list-style-type: none"> extreme pressure gear oil for Harley Davidson and Metric V-Twins. 	API GL-5
BOA 80W-90	<ul style="list-style-type: none"> hypoid gear oil. SAE 80W-90, will also cover SAE 85W-90 and SAE 90. 	API GL-4 or API GL-5
GEAR OIL LIGHT	<ul style="list-style-type: none"> motorcycle applications only. crankcase rating SAE 10W-40. 	API GL-3 or API GL-4
GEAR OIL MEDIUM	<ul style="list-style-type: none"> motorcycle applications only. crankcase rating SAE 20W-50. 	API GL-3 or API GL-4
CLASSIC ST30 CLASSIC ST90	<ul style="list-style-type: none"> non EP gear oil formulated especially for classic Vespa or Lambretta gearboxes. 	Meets API GL-3
SCOOTER GEAR OIL 80W-90	<ul style="list-style-type: none"> outstanding lubrication & performance in transmission drive systems of scooters & mopeds. 	Meets API GL-4
Suspension Fluids		
RSF 2.5 (ISO 15) RSF 5 (ISO 22) RSF 7.5 (ISO 32) RSF 10 (ISO 46) RSF 15 (ISO 100)	<ul style="list-style-type: none"> a race/road/track proven suspension fluid already in use and chosen by many of today's market-leading suspension manufacturers. grade can be mixed. 	
SF 20 (ISO 68) SF 30 (ISO 100)	<ul style="list-style-type: none"> premium formulation, combats friction, protects seals and resists corrosion. ensures smooth suspension under all road and competition conditions. grades can be mixed. 	
02 FULLY SYNTHETIC SUSPENSION FLUID (ISO 15/22) 05 FULLY SYNTHETIC SUSPENSION FLUID (ISO 46)	<ul style="list-style-type: none"> exceptional performance and zero drag in racing forks. low friction synthetic additives ensure smooth, predictable action on all terrains. reduces stick-slip, minimises pressurisation at high temperatures in all conditions. 	
Coolants		
MAG COOL	<ul style="list-style-type: none"> ready to use premium coolant based on mono-ethylene glycol (MEG). free from nitrites, amines, silicates and phosphates. race proven. 	
PRO COOL	<ul style="list-style-type: none"> advanced all-season pre-mixed engine coolant based on mono-propylene glycol (MPG). non-toxic. 	

Product	Description	Specifications
Fuel Additives		
PRO FST	<ul style="list-style-type: none"> advanced multi-functional fuel treatment. protects against cold start wear, corrosion, carburettor icing, deposit build-up problems and rough running at low engine revs. 	
PRO BOOST	<ul style="list-style-type: none"> octane improver - added to petrol will also have a "keep clean effect" in both carburettor and injection systems and will help to reduce icing in carburettors. fully compatible with all petrol and does not attack fuel hoses or filters. 	
PRO CCA ULTRA	<ul style="list-style-type: none"> race engine corrosion inhibitor. mixing ratio 3% to 5%. Does not protect from frost. 	
Brake & Clutch Fluids		
UNIVERSAL BRAKE & CLUTCH FLUID	<ul style="list-style-type: none"> suitable for UK, US, European and Japanese motorcycles. typical dry boiling point 230°C (446°F). typical wet boiling point 155°C (311°F). 	Mixes safely with all fluids meeting the standards FMVSS 116, DOT 5.1, DOT 4 and DOT 3, ISO 4925
PRO RACE BRAKE FLUID	<ul style="list-style-type: none"> high-quality racing brake fluid suitable for race or road use. typical dry boiling point 315°C (594°F). typical wet boiling point 204°C (399°F). Minimum wet boiling point 195°C (383°F) 	FMVSS 116 DOT 3 & 4 SAE J1703
Cleaners		
FOAM FILTER CLEANER	<ul style="list-style-type: none"> a highly effective, water rinseable cleaner/degreaser formulated specifically for cleaning foam filters prior to re-oiling. 	
FOAM FILTER OIL	<ul style="list-style-type: none"> advanced, low viscosity coating treatment designed to improve the efficiency of foam air filters. contains polymeric additives to provide a hyper-tacky surface that resists the ingress of elements without affecting engine breathing. 	
FOAM FILTER OIL KIT	<ul style="list-style-type: none"> a complete system for foam filter cleaning. <u>The kit contains:</u> buckets x2, gloves, strainer, 1x 4L SILKOLENE FOAM FILTER CLEANER, 1x 1L SILKOLENE FOAM FILTER OIL. 	
WASH OFF	<ul style="list-style-type: none"> a cost-effective spray-on/hose-off bike cleaner suitable for all street and off-road motorbikes, bicycles, quads and UTVs. 	
Grease		
PRO RG2 GREASE	<ul style="list-style-type: none"> an advanced, high melting point, synthetic racing grease. multi-functional, with exceptional heat-resisting & water-proofing properties. outstanding water repellence and corrosion inhibition properties. 	NLGI-2
COPPER PASTE	<ul style="list-style-type: none"> superior high-temperature anti-seize lubrication containing copper. designed to control pitting, rusting, thread distortion and seizure due to corrosion. Reduces dismantling torque. 	

Superior protection - for road & off-road use



Product	Description
Aerosols: Chain Lubes & Cleaners	
CHAIN LUBE	<ul style="list-style-type: none"> semi-synthetic chain oil suitable for road and off-road use.
PRO CHAIN	<ul style="list-style-type: none"> 100% synthetic racing chain oil suitable for road & off-road use.
PRO PREP	<ul style="list-style-type: none"> a high-quality water repellent, hard surface conditioner which provides a micro barrier against dirt and unwanted deposits. gives that elusive "factory finish" and also ensures smooth operation of plastic moving parts. Helps to waterproof and insulate ignition systems. NOTE: Contains silicones - do not use where painting is carried out or on windscreens and visors.
CONTACT CLEANER	<ul style="list-style-type: none"> a powerful solvent cleaner ideal for cleaning electrical components.
INJECTOR & CARB CLEANER	<ul style="list-style-type: none"> removes internal and external gum for carburettors and injection systems.
ALL IN ONE	<ul style="list-style-type: none"> premium, multi-purpose, moisture repellent spray for use in the garage & home.
FOAM FILTER OIL	<ul style="list-style-type: none"> advanced low viscosity coating treatment. Improves efficiency of foam air filters.
TITANIUM DRY LUBE	<ul style="list-style-type: none"> non-fling PTFE boosted chain lube, with exceptional anti-wear and anti-corrosion performance.
SILKOPEN	<ul style="list-style-type: none"> graphited penetrating spray to ease the dismantling of seized threaded fasteners.
BRAKE & CHAIN CLEANER	<ul style="list-style-type: none"> a powerful cleaner - perfect for removing unwanted deposits.



Silkolene[®]

**CUSTOMER
SUPPORT**

Customer support - display



Metal Retail Display Stands



Cardboard POS Display Stands



3x 20L Lube Cube/Mauser Workshop Display Stands

Roller Banners 0.8m wide x 2m high



Off-Road



Tourer



Road



Generic

- branding



Bike Stickers/Decals
Small 150 x 28mm
Large 250 x 47mm



Fork Stickers/Decals
230 x 44mm

Patches for Leather
250 x 47mm

Oil Service Stickers
x100 per roll

Recommended Lubricant Stickers
x100 per roll



Track Tape
100m per roll

**Beanie Hats
Baseball Caps
Neck Tubes**
1 size



**T-Shirt
Polo Shirt
Soft Shell Jackets
Workshop Overalls**
Various sizes available



**Umbrellas
Bike Stands**



Vinyl Workshop/Trackside Banners
3m x 1m
Supplied in rolles of 5 continuous banners (15m x 1m)

Foamex Building Signs
1m x 0.4m




Pit Mats
2x1.1m

Customer support - [www / product selector](http://www.silkolene.com/product-selector)



Find the right product for your bike in THREE quick clicks

www.silkolene.com



- ✓ 24/7 information access
- ✓ User friendly on both desktop & handheld devices
- ✓ Gain additional analytical user information
- ✓ 100% product recommendation control


Customer support - creative portal

The FUCHS SILKOLENE Creative Portal is an online system that allows you to **DOWNLOAD** open artwork and images directly from us. Below is a step-by-step guide on how to use the system. If you have any queries please contact: marketingUK@fuchs.com

Step 1:

Web Address

Please type in files.fuchslubricants.com into the tool bar of your browser as shown.




Step 2:

Log-in

Use the following details to log in:

Username:
contact-uk@fuchs.com


Password:
[silkoleneuser](#)



Step 3:

Home Page

Once you can see the screen pictured (right), click **SILKOLENE**.




Customer support - creative portal

Step 4:

Sub-sections

You will now see various sub-sections.

Use these sub-sections to locate the file(s) that you wish to download.



Step 5:

Download Files

Once located, simply click on the file icon to download it to your computer.

PLEASE NOTE:

Large files may take a while to download



Product	Case Quantity	Code
4-Stroke Engine Oils: PRO Ester Based Fully Synthetic		
PRO 4 XP 5W-40	10X1LT 4X4LT CUBE 20LT CUBE 60LT 205LT	602011756 602013712 601413896 601238833 601238819
PRO 4 XP 10W-30	10x1LT 4x4LT CUBE 205LT BULK	601449772 602013668 601399367 602081322
PRO 4 XP 10W-40	10X1LT 4X4LT CUBE 20LT CUBE 60LT 205LT BULK	602011572 602013675 601344107 600888404 600888503 600924720
PRO 4 XP 10W-50	10X1LT 4X4LT CUBE 20LT CUBE 60LT 205LT	602011589 602013682 601368646 600888510 600888534
PRO 4 XP 10W-60	10X1LT 4X4LT CUBE 60LT 205LT	602011657 602013699 601223723 600888558
PRO 4 XP 15W-50	10X1LT 4X4LT CUBE 20LT CUBE 60LT 205LT	602011732 602013705 601368622 600888565 600888589
QUAD & UTV 5W-40	4X4LT CUBE	602013781
SCOOT SPORT 4 5W-40	10X1LT 20LT CUBE 60LT 205LT	602012074 601414350 600738983 600257323
4-Stroke Engine Oils: COMP Synthetic Ester Based		
COMP 4 10W-30 XP	10X1LT 4X4LT CUBE 60LT 205LT BULK	602010988 602013491 601999093 600888596 600924737
COMP 4 XP 10W-40	10x1LT 4x4LT CUBE 20LT CUBE 60LT 205LT BULK	602011053 602013507 601344084 600888640 602073754 602073709
COMP 4 XP 15W-50	10X1LT 4X4LT CUBE 20LT CUBE 60LT 205LT	602011138 602013538 601368691 600924256 600924249
COMP 4 XP 20W-50	10X1LT 4X4LT CUBE 20LT CUBE 205LT	602011275 602013583 601368707 600924270
4-Stroke Engine Oils: SUPER Semi Synthetic & Mineral		
SUPER 4 10W-30	10X1LT 4X4LT CUBE 205LT BULK	602014696 602030245 602004901 602071804
SUPER 4 10W-40	10x1LT 4x4LT CUBE 20LT CUBE 60LT 205LT BULK	602012241 602013811 601366970 601367021 601366963 601367038
SUPER 4 15W-50	20LT CUBE 60LT 205LT	602008701 601770586 601373503
SUPER 4 20W-50	10X1LT 4X4LT CUBE 20LT CUBE 60T 205LT	602012265 602013828 601414367 601416057 601416040
SCOOT 4 10W-40	10X1LT 20LT CUBE	602011909 601414343
V-TWIN 20W-50	10X1LT 4X4LT CUBE	601450662 602013835
QUAD & UTV 10W-40	10X1LT 4X4LT CUBE 20LT CUBE 205LT	602011800 602013767 601998034 601999062

Product	Case Quantity	Code
4-Stroke Engine Oils: PRO Fully Synthetic Race		
PRO 4 PLUS 5W-40	10X1LT 4X4LT CUBE	602030580 602013736
PRO 4 PLUS 10W-50	10x1LT 4x4LT CUBE	602030535 602013729
PRO R 0W-20	4X4LT CUBE	602013750
CASTORENE R40S	10X1LT	602010254
CASTORENE R50S	10X1LT	600985967
2-Stroke Engine Oils: PRO Ester Based Fully Synthetic		
COMP 2 PLUS	10X1LT 4X4LT CUBE	602010902 601451201
2-Stroke Engine Oils: SCOOTER Fully Synthetic		
CLASSIC 2-STROKE	10X1LT	602010339
2-Stroke Engine Oils: COMP Synthetic Ester Based		
COMP 2	10X1LT 4X4LT CUBE	601449635 601450884
SCOOT SPORT 2	10x1LT	601449222
2-Stroke Engine Oils: SUPER Semi Synthetic		
SCOOT 2	10X1LT 4x4LT CUBE 60LT	602011893 601452871 600146504
2-Stroke Engine Oils: PRO Fully Synthetic Race		
PRO 2	10X1LT	602011497
PRO KR2	10x1LT	602011770
Classic Oils: 4L Classic Tins		
CHATSWORTH 30	4X4LT CUBE	601232671
CHATSWORTH 40	4X4LT CUBE	601232756
DONINGTON 50	4X4LT CUBE	601232848
HARDWICK 50	4X4LT CUBE	601232855
OSMASTON 50	4X4LT CUBE	601232862
RHINO 140	4X4LT CUBE	601232879
SILKOLUBE 20W-50	4X4LT CUBE	601232886
2T PRE-MIX	4X4LT CUBE	601232824
Gear Oils		
PRO SRG 75	10X1LT	602011787
COMP GEAR 80W-90	10X1LT	602011282
V-TWIN 80W-90	10X1LT	602012289
BOA 80W-90	10X1LT 20LT CUBE	601450877 601998041
GEAR OIL LIGHT	10X1LT 4X4LT CUBE 60LT	602011299 602013590 601999185
GEAR OIL MEDIUM	10X1LT	601449086
CLASSIC ST30	10X1LT	601450839
CLASSIC ST90	10X1LT	601450846
SCOOTER GEAR OIL 80W-90	20X125ML	601227806
Suspension Fluids		
RSF 2.5 (ISO 15)	10X1LT 20LT	602011862 600968915
RSF 5 (ISO 22)	10X1LT 20LT 205LT	602011879 600968922 600969226
RSF 7.5 (ISO 32)	10X1LT 20LT	602011886 600968946
RSF 10 (ISO 46)	10X1LT 20LT	602011848 600969202
RSF 15 (ISO 100)	10X1LT 20LT	602011855 600998752
SF 20 (ISO 68)	10X1LT	602012111
SF 30 (ISO 100)	10X1LT	602012227
02 FULLY SYNTHETIC SUSPENSION FLUID (ISO 15/22)	10X1LT 205LT	602009371 600391836
05 FULLY SYNTHETIC SUSPENSION FLUID (ISO 46)	10X1LT	602009739

Product	Case Quantity	Code
Coolants		
MAG COOL	10X1LT 20LT CUBE	602011312 601413865
PRO COOL	10X1LT 20LT 20LT CUBE	602011763 600518332 601368615
Fuel Additives		
PRO FST**	10X1LT	601449185
PRO BOOST**	10X1LT	800252845
PRO CCA ULTRA	6X1LT	601449963
Brake & Clutch Fluids		
UNIVERSAL BRAKE & CLUTCH FLUID	12X500ML 4X5LT	800164735 800174307
PRO RACE BRAKE FLUID	12X500ML	800164728
Cleaners		
FOAM FILTER CLEANER	12X1LT 4X4LT	602009050 602013842
FOAM FILTER OIL	6X1LT	800252876
FOAM FILTER OIL KIT	1 EACH	602013361
WASH OFF	10X1LT 4X5LT	601877773 601877803
Fuel Additives		
PRO FST**	10X1LT	601449185
PRO BOOST**	10X1LT	800252845
PRO CCA ULTRA	6X1LT	601449963
Grease		
PRO RG2 GREASE	12X500GM 12X100GM	602031136 800242914
COPPER PASTE	6X500GM 12X100GM	600144241 800242921
EP2 GREASE	6X500GM	600144210
Aerosols: Chain Lubes & Cleaners		
CHAIN LUBE	12X500ML	601398605
PRO CHAIN	12X500ML	601398919
PRO PREP	12X500ML	601399046
CONTACT CLEANER	12X500ML	601398681
INJECTOR & CARB CLEANER	12X500ML	601398896
ALL IN ONE	12X500ML	601398353
FOAM FILTER OIL	12X500ML	601398766
TITANIUM DRY LUBE	12X500ML	601399053
SILKOPEN	12X500ML	601398933
BRAKE & CHAIN CLEANER	12X500ML	601398360

Product	Case Qty/Size	Code
Equipment, Display Stands, Promo Items & Clothing		
HAND LEVER DRUM PUMP	1 EACH	800244161
GEAR OIL PUMP	1 EACH	800004345
20LT MAUSER PUMP	1 EACH	800121370
PLASTIC SIDE LEVEL DRUM PUMP	1 EACH	800001702
SILKOLENE METAL RETAIL DISPLAY STAND	1 EACH	800225337 800225344
SILKOLENE CARDBOARD RETAIL STAND	1 EACH	800289339
SILKOLENE 20LT LUBECUBE STAND	1 EACH	800298065
SILKOLENE TRACKSIDE BANNER	1 ROLL (5 PER ROLL)	800247056
SILKOLENE OIL CHANGE LABELS	10 ROLLS (100 PER ROLL)	800290779
SILKOLENE PIT MAT	1 EACH	800410399
SILKOLENE OVAL BIKE STAND	MOQ 100	602028327
SILKOLENE NECK TUBE	MOQ 100	800404602
SILKOLENE BASEBALL CAP	1 SIZE	800257154
SILKOLENE BEANIE HAT	1 SIZE	800304315
SILKOLENE WORKSHOP OVERALLS	MEDIUM LARGE X-LARGE 2X-LARGE	800185037 800185044 800185051 800185068
SILKOLENE T-SHIRT	MEDIUM LARGE X-LARGE	800258458 800258441 800258434
SILKOLENE RETRO T-SHIRT	X-LARGE	800270214
SILKOLENE POLO SHIRT	MEDIUM LARGE X-LARGE	800258380 800258373 800258366
SILKOLENE SOFT SHELL JACKET	MEDIUM LARGE X-LARGE	800258342 800258328 800258359
SILKOLENE FLEECE	X-LARGE	800258403

Full product listing at time of publication.
All information correct at time of publication.

**Duty applicable at current HM Customs & Excise rate subject to EU directive 2008/118 (Excise Movement and Control) - www.hmrc.gov.uk/emcs/

Some pack sizes special made to order

More than just lubricants... FUCHS Silkolene®

Did you know that FUCHS Silkolene can offer help with your workshop equipment requirements?

To find out how FUCHS Silkolene can invest in your business, please contact your regional FUCHS Silkolene sales manager.

Contacts



FUCHS Silkolene sponsors highly successful motorsport team PBM UK

Customer Support Tools:

Website:

www.silkolene.com

Product Finder:

www.silkolene.com/product-selector




Social Media:

 /fuchs.silkolene.uk

 @fuchs_silkolene

 @fuchs_silkolene

 /fuchs-lubricants-uk-plc

General contact:

contact-uk@fuchs.com

Or contact us direct for quick and professional support:



Sales - UK North

Ian Cunnington
ian.cunnington@fuchs.com



Sales - UK South

Terry Wicks
terry.wicks@fuchs.com



Sales - UK Central

Kevin Jones
kevin.jones@fuchs.com



Sales - UK & Export

Joost van Genderen
joost.vangenderen@fuchs.com



Sales Administrator

Sue Connor
sue.connor@fuchs.com



Technical

Andy Brown
andy.brown@fuchs.com



Product

Rosemary Mellor
rosemary.mellor@fuchs.com





FUCHS LUBRICANTS (UK) plc

New Century Street,
Hanley, Stoke-on-Trent,
Staffordshire, ST1 5HU, England
+44 (0) 1782 203700
contact-uk@fuchs.com
www.silkolene.com // www.fuchs.com/uk

 /fuchs.silkolene.uk

 @fuchs_silkolene

 @fuchs_silkolene

 /fuchs-lubricants-uk-plc

All information correct at time of publication.
Any form of reproduction requires express prior written permission
from FUCHS LUBRICANTS. © FUCHS LUBRICANTS. All rights reserved.

Issue date 0722